

# Safety Data Sheet

## 1. Identification

Product Identifier : Foam Pro

Recommended Uses : Chlorinated Foaming Detergent

Supplier : Sanixperts Chemical Solutions  
301-1632 Upper James St.  
Hamilton ON  
L9B 1K4

Emergency Telephone : (613) 996-6666 (CANUTEC)

## 2. Hazard Identification

|                           |                                   |            |
|---------------------------|-----------------------------------|------------|
| Product Classifications : | Corrosive to Metals               | Category 1 |
|                           | Skin Corrosion/Irritation         | Category 1 |
|                           | Serious Eye Damage/Eye Irritation | Category 1 |

Symbols :



Signal Word : Danger

Hazard Statements : May be corrosive to metals.  
Causes severe skin burns and eye damage.

Precautionary Statements : Do not breathe mists or spray. Wear protective gloves and eye protection/face protection. Wash thoroughly after handling.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower. Wash contaminated clothing before reuse.

IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

IF INHALED: Remove person to fresh air and keep comfortable for breathing.

Immediately call a POISON CONTROL CENTRE or doctor.

Keep only in original packaging. Absorb spillage to prevent material damage. Store locked up. Dispose of contents/container according to local, provincial and federal regulations.

### 3. Composition/Information on Ingredients

Hazardous Ingredients :

| Chemical Name       | CAS Number | Concentration<br>(% w/w)* |
|---------------------|------------|---------------------------|
| Potassium hydroxide | 1310-58-3  | 7 – 13                    |
| Lauramine oxide     | 1643-20-5  | 1 – 5                     |
| Sodium silicate     | 13870-28-5 | 0.5 – 1.5                 |
| Sodium hypochlorite | 7681-52-9  | 0.5 – 1.5                 |

\* The actual concentration is withheld as a trade secret.

### 4. First Aid Measures

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CONTROL CENTRE or doctor.

IF ON SKIN (or hair): Wash with plenty of water. Take off contaminated clothing and wash it before reuse. Immediately call a POISON CONTROL CENTRE or doctor.

IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. Immediately call a POISON CONTROL CENTRE or doctor.

IF INHALED: Remove person to fresh air and keep comfortable for breathing. Immediately call a POISON CONTROL CENTRE or doctor.

Symptoms of Acute Exposure

|                |                                                                                                              |
|----------------|--------------------------------------------------------------------------------------------------------------|
| Eye contact :  | Burns, redness, watering, pain, loss of vision.                                                              |
| Skin contact : | Severe burns, redness, itching, swelling, damage to underlying tissues.                                      |
| Ingestion :    | Burns, irritation, swelling.                                                                                 |
| Inhalation :   | Irritation of nose, throat and respiratory tract. Coughing, difficulty breathing and/or shortness of breath. |

### 5. Fire Fighting Measures

Suitable Extinguishing Media :

As for surrounding fire. Suitable materials include water spray, dry chemical, carbon dioxide, and alcohol-resistant foam.

Unsuitable Extinguishing Media :

Not available.

Specific Hazards and Combustion Products :

Non-combustible. Contact with soft metals forms flammable hydrogen gas. During fire, gases hazardous to health may be formed. Combustion products include oxides of carbon, oxides of nitrogen, chlorine, hydrogen chloride.

Protective Equipment and Precautions  
for Firefighters :

As in any fire, wear a self-contained breathing apparatus in pressure-demand, MSHA/NIOSH (approved or equivalent), and full protective gear. Move containers from fire area if possible without risk. Keep containers cool with water spray. Collect contaminated fire extinguishing water and other media separately.

## 6. Accidental Release Measures

- Personal Precautions : Immediately evacuate personnel to safe areas. Wear appropriate personal protective equipment (See Section 8: Exposure controls / Personal protection). Only trained and properly protected personnel must be involved in clean-up operations. Material may create slippery conditions.
- Containment and Clean Up : Stop leak if it is safe to do so. Dike spilled material, where possible. Absorb with suitable inert dry material such as absorbent clay and place into closed containers for disposal. Avoid dispersal of spilled material or contact with soil or entry into waterways, sewers and drains. Dispose of contents/containers according to local, provincial and federal regulations. Following product recovery, flush area with water.

## 7. Handling and Storage

- Handling : Avoid contact with skin, eyes, and clothing. Use personal protective equipment as required (See Section 8: Exposure controls / Personal protection). Wash thoroughly after handling.
- Storage : Keep away from incompatible materials (See Section 10: Stability and Reactivity). Keep away from metals and strong acids. Keep container tightly closed when not in use. Keep only in original packaging. Store in a cool, dry, well-ventilated place. Store locked up.

## 8. Exposure Controls/Personal Protection

Control Parameters :

| Chemical Name       | CAS Number | Value type | Permissible Concentration | Basis |
|---------------------|------------|------------|---------------------------|-------|
| Potassium hydroxide | 1310-58-3  | TLV        | 2mg/m <sup>3</sup>        | ACGIH |
| Lauramine oxide     | 1643-20-5  | TLV        | Not established           |       |
| Sodium silicate     | 13870-28-5 | TLV        | Not established           |       |
| Sodium hypochlorite | 7681-52-9  | TLV        | Not established           |       |

Engineering Controls : Ensure adequate ventilation.

**Personal Protection :**

|               |                                                                                                                          |
|---------------|--------------------------------------------------------------------------------------------------------------------------|
| Eye/Face :    | Safety glasses or chemical splash goggles, and face shield.                                                              |
| Skin :        | Chemical-resistant protective gloves.                                                                                    |
| Respiratory : | If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved respiratory protection should be worn. |
| Other :       | Long pants and long sleeved shirt. Rubber boots and rubber apron as necessary.                                           |

## 9. Physical and Chemical Properties

|                                   |                   |
|-----------------------------------|-------------------|
| Physical State :                  | Liquid            |
| Colour :                          | Clear, yellow     |
| Odour :                           | Chlorine          |
| Odour Threshold :                 | Not available     |
| pH :                              | 13 – 14           |
| Freezing Point :                  | Not available     |
| Boiling Point :                   | Not available     |
| Flash Point :                     | Not available     |
| Evaporation Rate :                | Not available     |
| Flammability (solids and gases) : | Not applicable    |
| Lower Flammability Limit :        | Not available     |
| Upper Flammability Limit :        | Not available     |
| Vapour Pressure :                 | Not available     |
| Vapour Density :                  | Not available     |
| Relative Density :                | 1.16              |
| Solubility :                      | Complete in water |
| Partition Coefficient :           | Not available     |
| Auto-ignition Temperature :       | Not available     |
| Decomposition Temperature :       | Not available     |
| Viscosity :                       | Not available     |

## 10. Stability and Reactivity

|                                    |                                                                                                                                     |
|------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------|
| Reactivity :                       | With incompatible materials. Contact with soft metals forms flammable hydrogen gas. Contact with acids releases toxic chlorine gas. |
| Chemical stability :               | Chemically stable.                                                                                                                  |
| Hazardous reactions :              | With incompatible materials. Polymerization not expected to occur.                                                                  |
| Conditions to avoid :              | Avoid incompatible materials.                                                                                                       |
| Incompatible materials :           | Strong acids, soft metals, metals.                                                                                                  |
| Hazardous decomposition products : | Chlorine gas.                                                                                                                       |

## 11. Toxicological Information

**Routes of Exposure**

|               |                            |
|---------------|----------------------------|
| Eye contact : | Causes serious eye damage. |
|---------------|----------------------------|

Skin contact : Causes severe skin burns.  
Ingestion : Causes burns to mouth, throat and stomach.  
Inhalation : May cause irritation to nose, throat and respiratory tract.

#### Symptoms of Acute Exposure

Eye contact : Burns, redness, watering, pain, loss of vision.  
Skin contact : Severe burns, redness, itching, swelling, damage to underlying tissues.  
Ingestion : Burns, irritation, swelling.  
Inhalation : Irritation of nose, throat and respiratory tract. Coughing, difficulty breathing and/or shortness of breath.

Chronic Effects : None known

#### Acute Toxicity Estimates

Oral : 2,500 – 3,000 mg/kg  
Dermal : > 10,000 mg/kg  
Inhalation : Not available.

## 12. Ecological Information

Not available.

## 13. Disposal Considerations

Dispose of contents/container according to local, provincial and federal regulations. Rinse the emptied container thoroughly prior to disposal. Offer for recycling, if available.

## 14. Transportation Information

For transportation in a road vehicle or a railway vehicle :

TDG Classification : UN Number: 3266  
Shipping Name : CORROSIVE LIQUID, BASIC, INORGANIC, N.O.S.  
(Potassium Hydroxide)  
Class : 8  
Subclass : none  
Packing Group : II  
Limited Quantity : 1L

## 15. Regulatory Information

This product has been classified according to the requirements of the Hazardous Products Regulations and this SDS contains all the required information.

All the ingredients of this product are reported in the following inventories:

Canada : All ingredients are listed on the Domestic Substance List (DSL).  
United States : All ingredients are listed as active on the TSCA inventory.

## 16. Other Information

SDS Revision Date : June 24, 2026

| HMIS®           |  |   |
|-----------------|--|---|
| Health          |  | 3 |
| Flammability    |  | 0 |
| Physical Hazard |  | 0 |